



Pharma Franchise For Ophthalmic Medicines

Your **NAYAN** inspire us for a promise of **VISION**



ARLAK BIOTECH PVT. LTD

(AN ISO 9001:2008 CERTIFIED COMPANY)

SCO-5-6, WADHWA NAGAR,, NEAR HOTEL SUNPARK,
KALKA HIGHWAY, ZIRAKPUR-140603(PB)

MOB: +91 91151 83636

EYE DROPS

SR.NO	BRAND NAMES	COMPOSITION	PACKING	MRP
1	ALCAREST EYE DROPS	ALCAFTADINE 0.25%	5ML	165.00
INDICATION: PREVENTS ITCHING ASSOCIATED WITH ALLERGIC CONJUNCTIVITIS				
2	BOXYCARB 1%	CARBOXYMETHYL- CELLOLOSE 1% STABILIZED OXYCHLORO COMPLEX 0.0075% sterile aqueous base	10ML	159.00
INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT				
3	BOXYCARB 0.5%	SODIUM CARBOXY METHLCELLULOSE I.P 0.5% W/V Sterile Aqueous base	10ML	109.00
INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT				

4	BOXYCARB PLUS	SODIUM CARBOXY METHYLE CELLULOSE 0.5% N-ACETYL L-CARNOSINE 1% GLYCERIN 0.5% STABILIZED OXYCHLORO COMPLEX 0.005%	10ML	169.00
INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT				
5	BEPLINE EYE DROP	BEPOTASTINE BESILATE 1.5% W/V	5ML	229.00
INDICATION: AN EFFECTIVE THERAPY TO ALLEVIATE ALLERGY				
6	CYCLOWAR EYE DROP	CYCOPENTOLATE 1% CHLORBUTOL 0.5% Aqueous base	5 ML	55.00
INDICATION : CAUSING MYDRIASIS AND CYCLOPLEGIA BEFORE AN EYE EXAMINATION				
7	FENBRO EYE DROP	BROMFENAC SODIUM EQ. TO BROMFENAC 0.09% W/V BENZALKONIUM CHLORIDE 0.005% V/V	5ML	130.00
INDICATION : POST OPERATIVE INFECTION & INFLAMMATION, NON SPECIFIC OCULAR PAIN				
8	FENBRO-M EYE DROP	BROMFENAC sodium 0.09% MOXIFLOXACIN .5% W/V benzalkonium chloride solution 0.02% sterile aqueous base	5ML	140.00
INDICATION : POST OPERATIVE INFECTION & INFLAMMATION, NON SPECIFIC OCULAR PAIN				
9	FROCARE EYE DROP	FLURBIPROFEN SODIUM IP 0.03% W/V BENZALKONIUM CHLORIDE SOLUTION IP 0.001% V/V Sterile aqueous base	5 ML	70.00
INDICATION : IRITIS,UVEITIS, INHIBATION OF INTRA OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT				
10	HYLOWAR	SODIUM HYALURONATE 0.1% SODIUM PERBORATE 0.028%	10ML	279.00
INDICATION: USED TO RELIEVE EYE DRYNESS AND SORENESS				

11	IFPRED EYE DROP	DIFLUPREDNATE 0.5% W/V SORBIC ACID 0.1% Sterile aqueous base	5 ML	110.00
INDICATION : OCCUPLAR PAIN & INFLAMMATION , PRE & POST OCULAR SURGERY , BACTERIAL CONJUNCTIVITIS				
12	IFPRED - M EYE DROP	DIFLUPREDNATE 0.5% W/V,MOXIFLOXICAN 0.5% W/V	5 ML	115.00
INDICATION : OCCUPLAR PAIN & INFLAMMATION , PRE & POST OCULAR SURGERY , BACTERIAL CONJUNCTIVITIS				
13	LOTEZEN OPHTHALMIC SUSPENSION	LOTEPREDNOL ETABONATE 0.5%w/v BENZALKONIUM CHLORIDE SOLUTION 0.01% OPHTHALMIC SUSPENSION 0.2% W/V	5 ML	140.00
INDICATION : BACTERIAL CONJUNCTIVITIS, INFLAMMATION ASSOCIATED WITH INFECTION, POST OPERATIVE				
14	LETWAR	LATANOPROST 0.005% W/V	2.5ML	369.00
INDICATION : TREATS HIGH PRESSURE INSIDE THE EYE				
15	MYKETOL EYE DROP	KETOROLAC TROMETHAMINE IP 0.5% W/V BENZALKONIUM CHLORIDE SOLUTION IP 0.005% sterile aqueous base	5 ML	49.00
INDICATION : CORNEA ULCER, MACULAR EDEMA, POST OPERATIVE INFLAMMATION				
16	MYKETOL-D EYE DROP	OFLOXACIN IP 0.3% W/V KETOROLAC TROMETHAMINE IP 0.5% W/V BENZAIONIUM CHLORIDE SOLUTION IP 0.005% V/V sterile aqueous base	5 ML	89.00
INDICATION : CORNEA ULCER, MACULAR EDEMA, POST OPERATIVE INFLAMMATION				
17	MYKETOL-O EYE DROP	KETOROLAC TROMETHAMINE 0.5%W/V & OFLOXACIN 0.3% W/V	10 ML	75.00
INDICATION : ALLERGIC CONJUNCTIVITIS, BACTERIAL KERATITIS,BLEPHARITIS,BACTERIAL CORNEAL ULCER				
18	MYKETOL-G EYE DROP	KETOROLAC TROMETHAMINE 0.4%W/V + GATIFLOXACIN 0.3% W/V	UPCOMING	
INDICATION : ALLERGIC CONJUNCTIVITIS, BACTERIAL KERATITIS,BLEPHARITIS,BACTERIAL CORNEAL ULCER				

19	NATACARE EYE DROP	NATAMYCIN 5% W/V	5ML	110.00
INDICATION : FUNGAL BLEPHARITIS , CONJUNCTIVITIS, KERATITIS				
20	NAYASOL EYE DROP	HYDROXYPROPYL METHYL CELLULOSE I.P 0.3% W/V Sterile aqueous base	5 ML	69.00
INDICATION : TV OR COMPUTER VISION SYNDROME , ITCHING & STRINGING SENSATION , SEVERE DRY EYE				
21	NEPAWAR EYE DROP	NEPAFENAC 0.1% W/V benzalkonium chloride 0.005% sterile aqueous base	5 ML	125.00
INDICATION : INFLAMMATION ANT. & POST. SEGMENT , DRUG OF CHOICE OF CME , RETINITIS				
22	NOIRGATE EYE DROP	GATIFLOXACIN 0.3% W/V benzalkonium chloride solution 0.01% sterile aqueous base	5 ML	45.00
INDICATION : IRTIS , UVEITIS, INHIBITION OF INTRA- OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT				
23	NOIRGATE - F EYE DROP	GATIFLOXACIN IP EQ. TO ANHYDROUS GATIFLOXACIN 0.3%W/V FLURBIPROFEN SODIUM IP 0.03% W/V BENZALKONIUM CHLORIDE SOLUTION IP 0.02% V/V sterile aqueous base	5 ML	70.00
INDICATION : IRTIS , UVEITIS, INHIBITION OF INTRA- OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT				
24	NOIRGATE - P EYE DROP	GATIFLOXACIN EQ. TO ANHYDROUS GATIFLOXACIN 0.3%W/V PRENDNISOLONE ACETATE IP 1%W/V BENZALKONIUM CHLORIDE SOLUTION IP 0.02% V/V sterile aqueous base	5 ML	95.00
INDICATION : IRTIS , UVEITIS, INHIBITION OF INTRA- OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT				
25	NOIRMOX 0.5% EYE DROP	MOXIFLOXACIN 0.5% W/V	5 ML	79.00

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

26	NOIRMOX-PLUS EYE DROP	MOXIFLOXACIN HCL I.P EQ. TO MOXIFLOXACIN 0.5% W/V+ KETOROLAC TROMETHAMINE I.P 0.5% W/V Sterile Aqueous base	5 ML	99.00
----	----------------------------------	--	-------------	--------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

27	NOIRMOX-B EYE DROP	MOXIFLOXACIN HCL .5% W/V BETAMETHASONE SODIUM PHOSPHATE 0.1% W/V	5 ML	95.00
----	-------------------------------	---	-------------	--------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

28	NOIRMOX-D EYE DROP	MOXIFLOXACIN 0.5% W/V DEXAMETHASONE sodium phosphate 0.1% W/V benzalkonium chloride solution 0.02%	5 ML	85.00
----	-------------------------------	---	-------------	--------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

29	NOIRMOX-DF EYE DROP	MOXIFLOXACIN HCL IP EQ. TO MOXIFLOXACIN 0.5% W/V DIFLUPREDNATE 0.05% W/V SORBIC ACID IP 0.1% W/V Sterile Aqueous base	5 ML	143.00
----	--------------------------------	--	-------------	---------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

30	NOIRMOX-L EYE DROP	MOXIFLOXACIN 0.5% W/V + LOTE Prednol Etabonate 0.5% W/F Benzalkonium Chloride Solution 0.01%	5 ML	145.00
----	-------------------------------	---	-------------	---------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

31	NOIRMOX-P EYE DROP	MOXIFLOXACIN 0.5% W/V & PREDNISOLONE 1% W/V	5 ML	95.00
----	-------------------------------	--	-------------	--------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

32	NYAREST EYE DROP	POTASSIUM IODIDE 3.3% W/V SODIUM CHLORIDE 0.83% W/V CALCIUM CHLORIDE 1% W/V chlorbutol 0.5% sterile aqueous base	10 ML	60.00
INDICATION : POSTERIOR CAPSULAR OPACITY , TEAR DEFICIENCY , AGE RELATED DEFICIENCY				
33	NYAGENT EYE DROP	GENTAMICIN SULPHATE 0.3%W/V DIPROPIONATE 0.025%W/V CLOTRIMAZOLE 1% W/V LIGNOCAINE HCl 2% W/V OILY BASE Q.S	5 ML	89.00
INDICATION : USED TO TREAT BACTERIAL INFECTION , SWOLLEN EAR				
34	NYAZOL EYE DROP	NAPHAZOLINE 0.05%W/V PHENYLEPHRINE 0.12% W/V chlorpheniramine maleate 0.1% W/V MENTHOL 0.005 % W/V CAMPHOR 0.01% W/V benzalkonium chloride solution 0.02% sterile aqueous base	10 ML	69.00
INDICATION :ALLERGIC CONDITIONS , CONGESTED CONJUNCTIVA, RED EYE SYNDROME, TIRED EYES				
35	OLOZEN EYE DROP	OLOPADADINE HYDROCHLORIDE 0.1% W/V	5 ML	95.00
INDICATION : ENHANCED OCULAR ITCH, PRE & POST OPERATIVE PROPHYLAXIS , SEASONAL CONJUNCTIVITIS				
36	OLOZEN-K EYE DROP	KETOROLAC TROMETHAMINE IP 0.4% W/V OLOPATADINE HCL IP EQ. TO OLOPATADINE 0.1% W/V BENZALKOINUM CHLORIDE SOLUTION IP 0.005 Sterile Aqueous base	5 ML	98.00
INDICATION : ENHANCED OCULAR ITCH, PRE & POST OPERATIVE PROPHYLAXIS , SEASONAL CONJUNCTIVITIS				
37	OXOISM EYE DROP	OFLOXACIN 0.3 % BENZALKONIUM CHLORIDE SOLUTION 0.02%	5 ML	25.00
INDICATION : CONJUCTIVITIS , BLEPHARITIS , CORNEAL ULCERS , INFECTION FOLLOWING SURGERY				

38	OXOISM-D EYE DROP	OFLOXACIN I.P 0.3% W/V DEXAMETHASONE SODIUM PHOSPHATE I.P EQ. TO DEXAMETHASONE 0.1% W/V HYDROXYPROPYL METHYLCELLULOSE I.P 0.25% W/V BENZALKONIUM CHLORIDE SOLUTION I.P 0.02% V/V	10 ML	50.00
INDICATION : CONJUCTIVITIS , BLEPHARITIS , CORNEAL ULCERS , INFECTION FOLLOWING SURGERY				
39	PGP EYE DROP	POLYETHYLENE GLYCOL 0.4% W/V PROPYLENE GLYCOL 0.3% W/V sodium perborate bp 0.005% sterile aqueous base	10 ML	225.00
INDICATION : DRY EYE SYNDROME				
40	POLIXA-D EYE DROP	POLYMYXIN B-SULPHATE 5000 CHLORAMPHENICOL 10MG DEXAMETHASONE SODIUM PHOSPHATE 1MG PHENYLMERCURIC NITRATE 0.002%	5ML	90.00
INDICATIONS: USED TO TREAT BACTERIAL EYE INFECTION				
41	POLOL EYE DROP	POLYVINYL ALCOHOL I.P 14MG POVIDONE I.P 6MG CHLOBUTOL I.P 5MG sterile aqueous base	10 ML	60.00
INDICATION : DRY EYE SYNDROME				
42	TIMOREST 0.5% EYE DROP	TIMOLOL MALEATE 0.5% benzalkonium chloride solution 0.02% aqueous base	5 ML	55.00
INDICATION : OPEN ANGLE GLAUCOMA , OCULAR HYPERTENSION				
43	TIMOREST-B EYE DROP	TIMOLOL MALEATE 0.5% W/V + BRIMONIDINE 2% W/V	5 ML	160.00
INDICATION : OPEN ANGLE GLAUCOMA , OCULAR HYPERTENSION				

44	TIMOREST-D EYE DROP	DORZOLAMIDE HYDROCHLORIDE EQ. TO DORZOLAMIDE 2% W/V TIMOLOL MALEATE IP WITH TIMOLOL 0.5% W/V BENZAICONIUM CHLORIDE SOLUTION IP 0.02% V/V sterile aqueous base	5 ML	250.00
INDICATION : OPEN ANGLE GLAUCOMA , OCULAR HYPERTENSION				
45	TOBWIN EYE DROP	TOBRAMYCIN 0.3% W/V BENZALKONIUM CHLORIDE SOLUTION 0.004% v/v sterile aqueous base	5 ML	65.00
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
46	TOBWIN-F EYE DROP	TOBRAMYCIN SULFATE EQ. TO TOBRAMYCIN 0.3% W/V + FLUROMETHOLONE 0.1% W/V Aqueous base	5 ML	85.00
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
47	TOBWIN-L EYE DROP	TOBRAMYCIN 0.3% W/V LOTEPREDNOL etabonate 0.5% W/V	5 ML	130.00
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
48	TOBWIN-D EYE DROP	TOBRAMYCIN 0.3% W/V+ DEXAMETHASONE 1% W/V	UPCOMING	
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
49	TROCARE 1% EYE DROP	TROPICAMIDE 1% W/V	UPCOMING	
INDICATION : MYDRIASIS, EYE EXAMINATION ,SHORT TERM PUPIL DILATION				
50	TROCARE 0.5% EYE DROP	TROPICAMIDE 0.5% W/V	UPCOMING	
INDICATION : MYDRIASIS, EYE EXAMINATION ,SHORT TERM PUPIL DILATION				

51	TROCARE-P EYE DROP	TROPICAMIDE 0.8% W/V & PHENYLEPHRINE 5% W/V	5 ML	70.00
INDICATION : MYDRIASIS, EYE EXAMINATION ,SHORT TERM PUPIL DILATION				
52	WYWAX EYE DROP	PARADICHLOROBENZENE2.0% W/V BENZOCAINE 2.7% W/V CHLORBUTOL 5.0% W/V TURPENTINE OIL 15.0% W/V oily base	10 ML	49.00
INDICATION : MAINTAINANCE OF EAR HYGIENE & CLEANLINESS, ALTERNATIVE TO EAR BUDS, EAR ITCHING				
EYE OINTMENT				
53	ACYREST EYE OINTMENT	ACYCLOVIR 5% W/W	UPCOMING	
INDICATION : HERPES SIMPLEX INFECTION				
54	POLIXA-D OINTMENT	POLYMYXIN B-SULPHATE 5000 I.U CHLORAMPHENICOL 10MG DEXAMETHASONE SODIUM PHOSPHATE 1MG STERILE OINTMENT BASE	5GM	110.00
INDICATION: USED TO TREAT BACTERIAL EYE INFECTION				
55	CORTZON EYE OINTMENT	HYDROCORTISONE 5 MGW/W+CHLORAMPHENICOL 10 MG W/W+CHLORBUTOL 0.5% W/W	UPCOMING	
INDICATION : CHRONIC FRONT UVEITIDES, HAEMORRHAGIC CONJENCTIVITIS, POST SURGICAL INFECTION				
56	NOIRMOX EYE OINTMENT	MOXIFLOXACIN HYDROCHLORIDE IP EQ. TO MOXIFLOXACIN 0.5% W/W sterile aqueous base	5 GM	79.00
INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS				
57	BOXYCARB EYE OINTMENT	CARBOXY METHYL CELLOSE SODIUM & GLYCERIN	5 GM	85.00
INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT				
58	ZETRAV EYE DROP	TRAVOPROST 0.04% W/V	3ML	35.00
INDICATION: REDUCES GLAUCOMA PROGRESSION EFFECTIVELY				

TABLET

59	OLOZEN-5 Tab	OLOPATADINE HYDROCHLORIDE TABLETS IP	10x10	990.00
INDICATION : ENHANCED OCULAR ITCH, PRE & POST OPERATIVE PROPHYLAXIS , SEASONAL CONJUNCTIVITIS				
60	NAYANCARE SOFTGEL CAPSULES	VITAMIN A 2500 IU VITAMIN C 40MG VITAMIN E ACETATE 120 IU ZINC 15MG ASTAXANTHIN ZEAXANTHIN LUTEIN 2000MCG	UPCOMING	
INDICATION : AGE RELATED MACULAR DEGENERATION, EYE STRESS, GLARE RESPONSE, NIGHT VISION				



NAYAN
VISION