



**Pharma Franchise**  
For  
**Ophthalmic Medicines**

Your **NAYAN** inspire us for a promise of **VISION**



**NAYAN**  
V I S I O N

(AN ISO 9001:2008 CERTIFIED COMPANY)  
SCO-5-6, WADHWA NAGAR,, NEAR HOTEL SUNPARK,  
KALKA HIGHWAY, ZIRAKPUR-140603(PB)  
MOB: +91 91151 83636

## EYE DROPS

SR.N O	BRAND NAMES	COMPOSITION	PACKING	MRP
1	<b>ALCAREST EYE DROPS</b>	ALCAFTADINE 0.25%	5ML	165.00
INDICATION: PREVENTS ITCHING ASSOCIATED WITH ALLERGIC CONJUNCTIVITIS				
2	<b>BOXYCARB 1%</b>	CARBOXYMETHYL- CELLOLOSE 1%	10ML	159.00

INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT

3	<b>BOXYCARB 0.5%</b>	<b>SODIUM CARBOXY METHLCELLULOSE I.P 0.5% W/V</b>	<b>10ML</b>	<b>109.00</b>
---	--------------------------	---	-------------	---------------

INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT

4	<b>BOXYCARB PLUS</b>	<b>SODIUM CARBOXY METHYLE CELLULOSE 0.5% N-ACETYL L-CARNOSINE 1% GLYCERIN 0.5%</b>	<b>10ML</b>	<b>169.00</b>
---	--------------------------	--	-------------	---------------

INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT

5	<b>BEPLINE EYE DROP</b>	<b>BEPOTASTINE BESILATE 1.5% W/V</b>	<b>5ML</b>	<b>229.00</b>
---	-----------------------------	--	------------	---------------

INDICATION: AN EFFECTIVE THERAPY TO ALLEVIATE ALLERGY

6	<b>CYCLOWAR EYE DROP</b>	<b>CYCLOPENTOLATE 1%</b>	<b>5 ML</b>	<b>55.00</b>
---	------------------------------	--------------------------	-------------	--------------

INDICATION : CAUSING MYDRIASIS AND CYCLOPLEGIA BEFORE AN EYE EXAMINATION

7	<b>FENBRO EYE DROP</b>	<b>BROMFENAC SODIUM EQ. TO BROMFENAC 0.09% W/V</b>	<b>5ML</b>	<b>130.00</b>
---	----------------------------	--	------------	---------------

INDICATION : POST OPERATIVE INFECTION & INFLAMMATION, NON SPECIFIC OCULAR PAIN

8	<b>FENBRO-M EYE DROP</b>	<b>BROMFENAC sodium 0.09% MOXIFLOXACIN .5% W/V</b>	<b>5ML</b>	<b>140.00</b>
---	------------------------------	--	------------	---------------

INDICATION : POST OPERATIVE INFECTION & INFLAMMATION, NON SPECIFIC OCULAR PAIN

9	<b>FROCARE EYE DROP</b>	<b>FLURBIPROFEN SODIUM IP 0.03% W/V</b>	<b>5 ML</b>	<b>70.00</b>
---	-----------------------------	---	-------------	--------------

INDICATION : IRITIS,UVEITIS, INHIBITION OF INTRA OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT

10	<b>HYLOWAR</b>	<b>SODIUM HYALURONATE 0.1%</b>	<b>10ML</b>	<b>279.00</b>
----	----------------	--------------------------------	-------------	---------------

INDICATION: USED TO RELIEVE EYE DRYNESS AND SORENESS

11	<b>IFPRED EYE DROP</b>	<b>DIFLUPREDNATE 0.5% W/V</b>	<b>5 ML</b>	<b>110.00</b>
----	----------------------------	-------------------------------	-------------	---------------

INDICATION : OCCUPLAR PAIN & INFLAMMATION , PRE & POST OCULAR SURGERY , BACTERIAL CONJUNCTIVITIS				
12	<b>IFPRED - M EYE DROP</b>	<b>DIFLUPREDNATE 0.5% W/V,MOXIFLOXICAN 0.5% W/V</b>	<b>5 ML</b>	<b>UPCOMING</b>
INDICATION : OCCUPLAR PAIN & INFLAMMATION , PRE & POST OCULAR SURGERY , BACTERIAL CONJUNCTIVITIS				
13	<b>LOTEZEN OPHTHALMIC SUSPENSION</b>	<b>LOTEPREDNOL ETABONATE 0.5%w/v</b>	<b>5 ML</b>	<b>140.00</b>
INDICATION : BACTERIAL CONJUNCTIVITIS, INFLAMMATION ASSOCIATED WITH INFECTION, POST OPERATIVE				
14	<b>LETWAR</b>	<b>LATANOPROST 0.005% W/V</b>	<b>2.5ML</b>	<b>369.00</b>
INDICATION : TREATS HIGH PRESSURE INSIDE THE EYE				
15	<b>MYKETOL EYE DROP</b>	<b>KETOROLAC TROMETHAMINE IP 0.5% W/V</b>	<b>5 ML</b>	<b>UPCOMING</b>
INDICATION : CORNEA ULCER, MACULAR EDEMA, POST OPERATIVE INFLAMMATION				
16	<b>MYKETOL-D EYE DROP</b>	<b>OFLOXACIN IP 0.3% W/V KETOROLAC TROMETHAMINE IP 0.5% W/V</b>	<b>5 ML</b>	<b>UPCOMING</b>
INDICATION : CORNEA ULCER, MACULAR EDEMA, POST OPERATIVE INFLAMMATION				
17	<b>MYKETOL-O EYE DROP</b>	<b>KETOROLAC TROMETHAMINE 0.5%W/V &amp; OFLOXACIN 0.3% W/V</b>	<b>10 ML</b>	<b>UPCOMING</b>
INDICATION : ALLERGIC CONJUNCTIVITIS, BACTERIAL KERATITIS,BLEPHARITIS,BACTERIAL CORNEAL ULCER				
18	<b>MYKETOL-G EYE DROP</b>	<b>KETOROLAC TROMETHAMINE 0.4%W/V + GATIFLOXACIN 0.3% W/V</b>		<b>UPCOMING</b>
INDICATION : ALLERGIC CONJUNCTIVITIS, BACTERIAL KERATITIS,BLEPHARITIS,BACTERIAL CORNEAL ULCER				
19	<b>NATACARE EYE DROP</b>	<b>NATAMYCIN 5% W/V</b>	<b>5ML</b>	<b>110.00</b>
INDICATION : FUNGAL BLEPHARITIS , CONJUNCTIVITIS, KERATITIS				
20	<b>NAYASOL EYE DROP</b>	<b>HYDROXYPROPYL METHYL CELLULOSE I.P 0.3% W/V</b>	<b>5 ML</b>	<b>69.00</b>

INDICATION : TV OR COMPUTER VISION SYNDROME , ITCHING & STRINGING SENSATION , SEVERE DRY EYE

21	<b>NEPAWAR EYE DROP</b>	<b>NEPAFENAC 0.1% W/V</b>	<b>5 ML</b>	<b>125.00</b>
----	-------------------------	---------------------------	-------------	---------------

INDICATION : INFLAMMATION ANT. & POST. SEGMENT , DRUG OF CHOICE OF CME , RETINITIS

22	<b>NOIRGAT EYE DROP</b>	<b>GATIFLOXACIN 0.3% W/V</b>	<b>5 ML</b>	<b>45.00</b>
----	-------------------------	------------------------------	-------------	--------------

INDICATION : IRTIS , UVEITIS, INHIBITION OF INTRA- OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT

23	<b>NOIRGAT - F EYE DROP</b>	<b>GATIFLOXACIN IP EQ. TO ANHYDROUS GATIFLOXACIN 0.3%W/V FLURBIPROFEN SODIUM IP 0.03% W/V</b>	<b>5 ML</b>	<b>70.00</b>
----	-----------------------------	---	-------------	--------------

INDICATION : IRTIS , UVEITIS, INHIBITION OF INTRA- OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT

24	<b>NOIRGAT - P EYE DROP</b>	<b>GATIFLOXACIN EQ. TO ANHYDROUS GATIFLOXACIN 0.3%W/V PREDNISOLONE ACETATE IP 1%W/V</b>	<b>5 ML</b>	<b>95.00</b>
----	-----------------------------	---	-------------	--------------

INDICATION : IRTIS , UVEITIS, INHIBITION OF INTRA- OPERATIVE MIOSIS, INFLAMMATION AFTER CATARACT

25	<b>NOIRMOX 0.5% EYE DROP</b>	<b>MOXIFLOXACIN 0.5% W/V</b>	<b>5 ML</b>	<b>79.00</b>
----	------------------------------	------------------------------	-------------	--------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

26	<b>NOIRMOX-PLUS EYE DROP</b>	<b>MOXIFLOXACIN HCL I.P EQ. TO MOXIFLOXACIN 0.5% W/V+ KETOROLAC TROMETHAMINE I.P 0.5% W/V</b>	<b>5 ML</b>	<b>99.00</b>
----	------------------------------	---	-------------	--------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

27	<b>NOIRMOX-B EYE DROP</b>	<b>MOXIFLOXACIN HCL .5% W/V</b>	<b>5 ML</b>	<b>UPCOMING</b>
----	---------------------------	---------------------------------	-------------	-----------------

INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS

28	<b>NOIRMOX-D EYE DROP</b>	<b>MOXIFLOXACIN 0.5% W/V DEXAMETHASONE sodium phosphate 0.1% W/V</b>	<b>5 ML</b>	<b>85.00</b>
<b>INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS</b>				
29	<b>NOIRMOX-DF EYE DROP</b>	<b>MOXIFLOXACIN HCL IP EQ. TO MOXIFLOXACIN 0.5% W/V DIFLUPREDNATE 0.05% W/V</b>	<b>5 ML</b>	<b>143.00</b>
<b>INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS</b>				
30	<b>NOIRMOX-L EYE DROP</b>	<b>MOXIFLOXACIN 0.5% W/V + LOTEPIEDNOL ETABONATE 0.5% W/F</b>	<b>5 ML</b>	<b>145.00</b>
<b>INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS</b>				
31	<b>NOIRMOX-P EYE DROP</b>	<b>MOXIFLOXACIN 0.5% W/V &amp; PREDNISOLONE 1% W/V</b>	<b>5 ML</b>	<b>95.00</b>
<b>INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS</b>				
32	<b>NYAREST EYE DROP</b>	<b>POTASSIUM IODIDE 3.3% W/V SODIUM CHLORIDE 0.83% W/V CALCIUM CHLORIDE 1% W/V</b>	<b>10 ML</b>	<b>60.00</b>
<b>INDICATION : POSTERIOR CAPSULAR OPACITY , TEAR DEFICIENCY , AGE RELATED DEFICIENCY</b>				
33	<b>NYAGENT EAR DROP</b>	<b>GENTAMICIN SULPHATE 0.3%W/V DIPROPIONATE 0.025%W/V CLOTRIMAZOLE 1% W/V LIGNOCAINE HCI 2% W/V OILY BASE Q.S</b>	<b>5 ML</b>	<b>89.00</b>
<b>INDICATION : USED TO TREAT BACTERIAL INFECTION , SWOLLEN EAR</b>				
34	<b>NYAZOL EYE DROP</b>	<b>NAPHAZOLINE 0.05%W/V PHENYLEPHRINE 0.12% W/V chlorpheniramine maleate 0.1% W/V MENTHOL 0.005 % W/V CAMPBOR 0.01% W/V</b>	<b>10 ML</b>	<b>69.00</b>
<b>INDICATION :ALLERGIC CONDITIONS , CONGESTED CONJUNCTIVA, RED EYE SYNDROME, TIRED EYES</b>				
35	<b>OLOZEN EYE DROP</b>	<b>OLOPADADINE HYDROCHLORIDE 0.1% W/V</b>	<b>5 ML</b>	<b>95.00</b>

INDICATION : ENHANCED OCULAR ITCH, PRE & POST OPERATIVE PROPHYLAXIS , SEASONAL CONJUNCTIVITIS				
36	<b>OLOZEN-K EYE DROP</b>	KETOROLAC TROMETHAMINE IP 0.4% W/V OLOPATADINE HCL IP EQ. TO OLOPATADINE 0.1% W/V	5 ML	98.00
INDICATION : ENHANCED OCULAR ITCH, PRE & POST OPERATIVE PROPHYLAXIS , SEASONAL CONJUNCTIVITIS				
37	<b>OXOISM EYE DROP</b>	OFLOXACIN 0.3 %	5 ML	25.00
INDICATION : CONJUNCTIVITIS , BLEPHARITIS , CORNEAL ULCERS , INFECTION FOLLOWING SURGERY				
38	<b>OXOISM-D EYE DROP</b>	OFLOXACIN I.P 0.3% W/V DEXAMETHASONE SODIUM PHOSPHATE I.P EQ. TO DEXAMETHASONE 0.1% W/V HYDROXYPROPYL METHYLCELLULOSE I.P 0.25% W/V	10 ML	50.00
INDICATION : CONJUNCTIVITIS , BLEPHARITIS , CORNEAL ULCERS , INFECTION FOLLOWING SURGERY				
39	<b>PGP EYE DROP</b>	POLYETHYLENE GLYCOL 0.4% W/V PROPYLENE GLYCOL 0.3% W/V	10 ML	225.00
INDICATION : DRY EYE SYNDROME				
40	<b>POLIXA-D EYE DROP</b>	POLYMYXIN B-SULPHATE 5000 CHLORAMPHENICOL 10MG DEXAMETHASONE SODIUM PHOSPHATE 1MG PHENYLMERCURIC NITRATE 0.002%	5ML	90.00
INDICATIONS: USED TO TREAT BACTERIAL EYE INFECTION				
41	<b>POLOL EYE DROP</b>	POLYVINYL ALCOHOL I.P 14MG POVIDONE I.P 6MG CHLOBUTOL I.P 5MG	10 ML	UPCOMING
INDICATION : DRY EYE SYNDROME				
42	<b>TIMOREST 0.5% EYE DROP</b>	TIMOLOL MALEATE 0.5%	5 ML	55.00
INDICATION : OPEN ANGLE GLAUCOMA , OCULAR HYPERTENSION				
43	<b>TIMOREST-B EYE DROP</b>	TIMOLOL MALEATE 0.5% W/V + BRIMONIDINE 2% W/V	5 ML	UPCOMING

INDICATION : OPEN ANGLE GLAUCOMA , OCULAR HYPERTENSION				
44	<b>TIMOREST-D EYE DROP</b>	DORZOLAMIDE HYDROCHLORIDE EQ. TO DORZOLAMIDE 2% W/V TIMOLOL MALEATE IP WITH TIMOLOL 0.5% W/V	5 ML	250.00
INDICATION : OPEN ANGLE GLAUCOMA , OCULAR HYPERTENSION				
45	<b>TOBWIN EYE DROP</b>	TOBRAMYCIN 0.3% W/V	5 ML	65.00
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
46	<b>TOBWIN-F EYE DROP</b>	TOBRAMYCIN SULFATE EQ. TO TOBRAMYCIN 0.3% W/V + FLUROMETHOLONE 0.1% W/V	5 ML	85.00
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
47	<b>TOBWIN-L EYE DROP</b>	TOBRAMYCIN 0.3% W/V LOTEPREDNOL etabonate 0.5% W/V	5 ML	130.00
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
48	<b>TOBWIN-D EYE DROP</b>	TOBRAMYCIN 0.3% W/V+ DEXAMETHASONE 1% W/V	UPCOMING	
INDICATION : BLEPHARITIS, NON – SPECIFIC CONJUNCTIVITIS				
49	<b>TROCARE 1% EYE DROP</b>	TROPICAMIDE 1% W/V	UPCOMING	
INDICATION : MYDRIASIS, EYE EXAMINATION ,SHORT TERM PUPIL DILATION				
50	<b>TROCARE 0.5% EYE DROP</b>	TROPICAMIDE 0.5% W/V	UPCOMING	
INDICATION : MYDRIASIS, EYE EXAMINATION ,SHORT TERM PUPIL DILATION				
51	<b>TROCARE-P EYE DROP</b>	TROPICAMIDE 0.8% W/V & PHENYLEPHRINE 5% W/V	5 ML	70.00
INDICATION : MYDRIASIS, EYE EXAMINATION ,SHORT TERM PUPIL DILATION				

52	<b>WYWAX EYE DROP</b>	PARADICHLORO BENZENE 2.0% W/V BENZOCAINE 2.7% W/V CHLOR BUTOL 5.0% W/V TURPENTINE OIL 15.0% W/V oily base	10 ML	49.00
INDICATION : MAINTAINANCE OF EAR HYGIENE & CLEANLINES, ALTERNATIVE TO EAR BUDS, EAR ITCHING				
53	<b>ZETRAV EYE DROP</b>	TRAVOPROST 0.04% W/V	3ML	169.00
INDICATION: REDUCES GLAUCOMA PROGRESSION EFFECTIVELY				
<b>EYE OINTMENT</b>				
54	<b>ACYREST EYE OINTMENT</b>	ACYCLOVIR 5% W/W	UPCOMING	
INDICATION : HERPES SIMPLEX INFECTION				
55	<b>POLIXA-D OINTMENT</b>	POLYMYXIN B-SULPHATE 5000 I.U CHLORAMPHENICOL 10MG DEXAMETHASONE SODIUM PHOSPHATE 1MG	5GM	110.00
INDICATION: USED TO TREAT BACTERIAL EYE INFECTION				
56	<b>CORTZON EYE OINTMENT</b>	HYDROCORTISONE 5 MG/W+W+CHLORAMPHENICOL 10 MG W/W+CHLOR BUTOL 0.5% W/W	UPCOMING	
INDICATION : CHRONIC FRONT UVEITIDES, HAEMORRHAGIC CONJENCTIVITIS, POST SURGICAL INFECTION				
57	<b>NOIRMOX EYE OINTMENT</b>	MOXIFLOXACIN HYDROCHLORIDE IP EQ. TO MOXIFLOXACIN 0.5% W/W sterile aqueous base	5 GM	79.00
INDICATION : POST OPERATIVE INFECTION , CONJUNCTIVITIS, KERATITIS , BLEPHARITIS				
58	<b>BOXYCARB EYE OINTMENT</b>	CARBOXY METHYL CELLOSE SODIUM & GLYCERIN	5 GM	85.00



INDICATION : SEVERE DRY EYE, ITCHING & STINGING SENSATION, POST LASIK TREATMENT

## TABLET

59	OLOZEN-5 Tab	OLOPATADINE HYDROCHLORIDE TABLETS IP	10x10	UPCOMING
----	--------------	--------------------------------------	-------	----------

INDICATION : ENHANCED OCULAR ITCH, PRE & POST OPERATIVE PROPHYLAXIS , SEASONAL CONJUNCTIVITIS

60	NAYANCARE SOFTGEL CAPSULES	VITAMIN A 2500 IU VITAMIN C 40MG VITAMIN E ACETATE 120 IU ZINC 15MG ASTAXANTHIN ZEAXANTHIN LUTEIN 2000MCG	UPCOMING
----	----------------------------	--	----------

INDICATION : AGE RELATED MACULAR DEGENERATION, EYE STRESS, GLARE RESPONSE, NIGHT VISION

## TERMS & CONDITIONS

1. THIS PRICE LIST IS EFFECTIVE FROM 1st APRIL 2021.
2. GST AS APPLICABLE WILL BE CHARGED EXTRA
3. PRICE ARE SUBJECT TO CHANGE WITHOUT NOTICE,DUE TO REVISION IN RAW MATERIAL PRICE.
4. NO EXPIRY, RETURNS & BREAKAGES WILL BE CONSIDERD.
5. TRANSPORTATION FREIGHT TO PAY.
6. GOODS WILL BE DISPATCHED AGAINST ADVANCE PAYMENTS ONLY.
7. ALL PROMOTIONAL MATERIALS WILL BE PROVIDED AS PER FRANCHISEE BUSINESS MODEL.
8. MONOPOLY RIGHTS ARE FOR ASSIGNED SELLING AREA. ANY INTENTIONAL INFILTRATION WILL BE CONSIDERED AS BREACH OF CONTRACT AND THUS DISTRIBUTION & MONOPOLY RIGHTS WILL BE WITHDRAWN.
9. IF IN CASE OF ANY DRUGS IS BANNED BY THE GOVERNMENT OF INDIA, AFTER THE INVOICE HAS BEEN RAISED, SUCH GOODS WILL NOT BE GIVEN ANY CREDIT NOTE.
10. IF IN CASE ANY DRUGS FALLS UNDER DPCO, AFTER THE INVOICE HAS BEEN RAISED, SUCH GOODS WILL NOT BE GIVEN ANY CREDIT NOTE
11. MRP HAS CHANGE AS PER DPCO, WITHOUT ANY EFFECT IN PCD PRICES