



arlok | **NAYAN**
VISION
SCO 5-6, Wadhwa Nagar, Near Hotel Sunpark,
Kaika Highway, Zirakpur, (Chandigarh), Punjab, INDIA
email: info@arlokbiotech.com | www.healthbuffet.com
website: www.arlokbiotech.com | www.healthbuffet.com

Your
NAYAN
inspire us for
a promise of
VISION

NAYAN
VISION

NAYAN
VISION



SCO 5-6, Wadhwa Nagar, Near Hotel Sunpark,
Kalka Highway, Zirakpur, (Chandigarh), Punjab, INDIA


email : info@arlakbiotech.com

website : www.arlakbiotech.com | www.healthbuffet.com



Your
NAYAN
inspire us for
a promise of
VISION

for the treatment of
**Acute Herpetic Keratitis
(Dendritic Ulcers)**



^{Rx} Acyrest

Acyclovir 5% **Ophthalmic Ointment**


Belongs to a group of medicines called antivirals.
A synthetic nucleoside analogue active against herpes viruses.
A herpes simplex virus nucleoside analog
DNA polymerase inhibitor
Controls inflammation of the front of the eye.

effective in
the treatment of acute **herpetic keratitis (dendritic ulcers)**
in patients with herpes simplex (HSV-1 and HSV-2) virus.

In five randomized, double masked studies which enrolled a total of 238 subjects with dendritic herpetic keratitis, acyclovir ophthalmic ointment, 3% was either superior or as effective as idoxuridine ophthalmic ointment 0.5% or 1% in subjects with dendritic ulcers. Clinical resolution (healed ulcers) at Day 7 averaged 83% for acyclovir and 50% for idoxuridine.

Effective & Superior Therapy

For the prevention of
Itching associated with
allergic conjunctivitis



1. Drugs Today (Barc). 2011 Dec;47(12):883-90.
2. Curr Med Res Opin. 2011 Mar;27(3):623-31.
3. Adv Ther. 2014; 31(10): 1059-1071.

Rx
Alcaarest
Alcaftadine 0.25% Eye Drops

Alcaftadine 0.025% ophthalmic solution has been **approved by the USFDA** for prevention of itching associated with allergic conjunctivitis in patients over 2 years of age.

Broad-spectrum antihistamine displaying a high affinity for histamine H1 & H2 receptors and a lower affinity for H4 receptors.

An inhibitor of the release of histamine from mast cells

Decreased chemotaxis and inhibition of eosinophil activation has also been demonstrated

It also exhibits modulatory action on immune cell recruitment and mast cell stabilizing effects.

With an onset of action within 3 minutes and a duration of action of at least 16 hours, the statistically and clinically significant effect of alcaftadine 0.25% on itching make it an important addition to therapy for ocular allergy.¹

Once-daily alcaftadine 0.25% ophthalmic solution demonstrated greater efficacy in prevention of ocular itching compared with olopatadine 0.2% at 3 min post-CAC (primary endpoint), and over all time points, 16 h post-treatment instillation.²

effective in
Itching associated with
Allergic Conjunctivitis

Rapid & Fast Relief

*An effective therapy
to alleviate*
Allergy & Associated Symptoms



Rx

Bepline

Eye Drops

Bepotastine besilate 1.5% w/v

- A histamine H1 receptor antagonist
- An inhibitor of the release of histamine from mast cells.

Bepotastine besilate (BBOS) 1.5% rapidly reduced CAC-induced ocular itching with duration of effectiveness of at least 8 hours after dosing. Certain secondary signs of inflammation were also significantly reduced.¹

topical ocular Bepotastine besilate (BBOS) 1.5% reduced nasal symptoms, supporting its use for alleviating rhinitis symptoms associated with AC.²

effective for

Allergic Conjunctivitis

Symptomatic treatment of ocular itching
associated with allergic conjunctivitis

1. Clinical ophthalmology (Auckland, N.Z.) August 2014; 8:1495-505
2. J Asthma Allergy. 2018; 11: 29-39.

Effective Symptomatic Treatment for Allergic Conjunctivitis

To Improve the **Dry Eyes** and Maintain the **Hydration of Eyes**

^{Rx} **Boxycarb** **0.5%**
1%

Carboxymethyl Cellulose 0.5% w/v / 1% w/v
Eye Drops



Shows significant improvement in Dry Eye Syndrome

Increases tear film thickness & stability¹

Promotes corneal epithelial wound healing

effective in

Severe Dry Eye — Itching & Stinging Sensation
Post Lasik Treatment — TV or Computer Vision Syndrome

also available

Boxycarb
Carboxymethyl Cellulose Sodium & Glycerin
EYE OINTMENT

1. Arch Ophthalmol. 2008 May; 128 (5): 619-25

Hydrates the Eyes...Effectively

to lubricate the
DRY EYES

Rx

Boxycarb Plus

Carboxymethyl Cellulose 0.5% w/v + N-Acetyl Carnosine 1.0%
Eye Drops



1. Current Drug Therapy. 2006;91-116.
2. Biochim Biophys Acta. Mar 1 1996;1315(2):87-99.

Carboxymethyl Cellulose

- ♦ An effective lubricant.
- ♦ Works similar to natural tears and provides temporary relief from burning and discomfort due to dryness of the eye.

N-Acetyl Carnosine (NAC)

- ♦ An antioxidant which **prevents the formation of cataracts** in the eye
- ♦ Carnosine has been shown to preserve levels of these enzymes in cataract lenses, thus **improving their anti-oxidative capacity**.¹
- ♦ NAC is a prodrug of L-carnosine within the eye, as it undergoes deacetylation to release carnosine into the aqueous humor.² Since carnosine is thought to be rapidly degraded by resident carnosinase in the lens, and NAC appears to be protected from this enzyme, the instillation of NAC was proposed as a means of achieving a **more effective delivery of L-carnosine to the lens**.
- ♦ Furthermore, **NAC is a less hydrophobic molecule, so it may more readily pass through the membrane lipid bilayer of lens cells.**

effective in

Cataract
Irritation in Eyes
Dry Eye Syndrome

Relief from burning and discomfort due to **dryness of the eye**

*An effective
combination therapy*
Infection & Inflammation



^{Rx}
Cortzon Ointment

Hydrocortisone 5mg w/w + Chloramphenicol 10mg w/w +
Chlorbutol 0.5% w/w

Hydrocortisone

- A steroid that reduces redness & swelling
- Reduces eye inflammation following eye surgery

Chloramphenicol

- An antibiotic that helps prevent or treat a bacterial infection
- Reduces eye inflammatory states of conjunctiva

Chlorbutol

- Works by inhibiting the bacterial & fungal growth & by irrigating the eyes & soothing them

effective in

Chronic Front Uveitides

Haemorrhagic Conjunctivitis

Follicular Conjunctivitis

Post-Surgical Infections

An Effective Combo...

Works Hand in Hand to Heal

To achieve
MYDRIASIS

Cyclowar

Cyclopentolate 1% w/v **Eye Drops**



Cyclopentolate

Effective cyclopegic & mydriatic agent

Cyclopentolate works by blocking certain receptors found in the eye to temporarily relax or provide short-term paralysis of the eye muscles.

Enables accurate reading of the focusing power of the eye lens

More effective than tropicamide in reducing accommodative amplitude in adult myopes*

* L Cataract Refract Surg. 2005 Apr; 31 (4): 694-700

effective in

causing mydriasis (pupil dilation) and cycloplegia (paralysis of the ciliary muscle of the eye) before an eye examination.

Enriched with **MAXIMUM EFFICACY**

To control the
infection, pain & inflammation
and to make eyes

Healthy & Strong



^{Rx} Fenbro-M

Bromfenac 0.09% w/v + Moxifloxacin 0.5% w/v **Eye Drops**

Bromfenac

A nonsteroidal anti-inflammatory drug, clears ocular pain inflammation.

Moxifloxacin

A fourth generation anti-bacterial with broad-spectrum activity.

Indications

Post-operative infection & inflammation

Non-specific ocular pain

Secondary bacterial infection

^{Rx} Fenbro

Bromfenac 0.09% w/v **Eye Drops**

Indications

Prevention of Intra-operative Miosis (in cataract surgery)

Management of post-lasik pain and inflammation

Treatment of CME anterior uveitis

The Dependable Therapy

The ideal
Non-Steroidal Anti-Inflammatory
before & after
Cataract & Glaucoma Surgery



* Int J Basic Clin Pharmacol.2018Apr;7(4):617-621

^{Rx}
Frocare

Flurbiprofen 0.03% w/v Eye Drops

- Effective in preventing miosis during cataract surgery.
- Approved by the USFDA for intra-operative use during cataract surgery to control miosis.
- Suppress the TNF-production eventually leading to reduction of leukocyte adhesion and finally developing a good retinal field*.

effective in :

Inhibition of Intra-operative miosis

Inflammation after Cataract or
Glaucoma Laser Surgery

Time Tested Therapy
*to control inflammation
during surgery*

In

**Dry
Eyes**



^{Rx} Hylowar

Sodium Hyaluronate 0.1% w/v + Sodium Perborate 0.028% w/v
Eye Drops

Moistens the eyes and provides temporary relief from burning and discomfort.

Effective for the therapy of corneal epithelial defects.

Promotes corneal epithelial wound healing by stimulating the migration, adhesion & proliferation of the corneal epithelium.¹

1. Br J Ophthalmol. 2004 Jun; 88(6): 821-825.

effective in

- Dry Eyes ●
- Cornea Healing & Reduces Eye Fatigue ●
- Relieves Eye Dryness and Soreness ●

Offers Maximum Hydration & Corneal Re-epithelialization

To get relief from
**Ocular Pain, Itching,
Discomfort & Irritation**
caused by Infections



^{Rx} Ifpred-M

Difluprednate 0.05% w/v + Moxifloxacin 0.5% w/v **Eye Drops**

Moxifloxacin

Significantly improves visual acuity
Efficacious for the treatment of inflammation & pain associated with ocular surgery
Superior efficacy at half of the dose of prednisolone

Difluprednate

Broad spectrum with low MIC
Rapid eradication of pathogens
Kills bacteria rapidly & achieves 99.9% pathogen kill

effective in

- Ocular Pain & Inflammation
- Pre & Post Ocular Surgery
- Bacterial Conjunctivitis
- Keratitis

also available Ifpred

Difluprednate 0.05% w/v **Eye Drops**

for **Fastest Clinical Cure**

for the treatment of
**Elevated
Intraocular
Pressure (IOP)**
in patients with



Reduces IOP effectively in **Ocular Hypertension**

^{Rx}
Letwar
Latanoprost 0.005% w/v **Eye Drops**

A prostaglandin F2A analogue

Reduces IOP by increasing the outflow of aqueous humor
by improving the uveoscleral outflow.

Elevated IOP represents a major risk factor for glaucomatous field loss.
The higher the level of IOP, the greater the likelihood of
optic nerve damage and visual field loss.

Latanoprost is a **valuable addition first-line treatment alternatives for glaucoma, ocular hypertension and even angle-closure glaucoma.**

Strong points are

- its **EFFICACY**, which is demonstrated to be higher than that of brimonidine, dorzolamide and timolol with fewer systemic adverse effects;
- a **CONVENIENT ADMINISTRATION SCHEDULE**;
- and **THE IOP-CONTROLLING PATTERN**, which is relatively flat compared with timolol and dorzolamide, and enables better control in glaucoma progression.

Clin Ophthalmol. 2008 Dec; 2(4): 897-905.

indicated for

the reduction of elevated intraocular pressure in patients
with open-angle glaucoma or ocular hypertension.

for
Effective Control
on Inflammation



1. Investigative Ophthalmology & Visual Science March 2012, Vol.53(14), 4013
2. Int Ophthalmol. 2012 Oct; 32(5): 507-517

^{Rx} Lotbest

Loteprednol Etabonate 0.5% w/v Eye Drops

Has been used for the treatment of steroid-responsive inflammatory conditions of the cornea & anterior segment of the globe.

Safe topical steroid when used on long-term basis for the treatment of SAC and PAC.

Better than olopatadine in the relief of ocular itching and bulbar conjunctival injection.¹

Effective in resolving anterior chamber cells and flare as well as in reducing post-operative pain and discomfort.²

effective in

- Bacterial conjunctivitis
- Inflammation associated with infection
- Blepharitis
- Post operative prophylaxis

also available
Lotezen
Loteprednol 0.2% w/v | Eye Drops

Combining the Aspects of Efficacy & Safety

for
Effective Control
on Inflammation



1. *Investigative Ophthalmology & Visual Science* March 2012, Vol.53(14), 4013
2. *Int Ophthalmol.* 2012 Oct; 32(5): 507–517

^{Rx} Lotezen

Loteprednol Etabonate 0.5% w/v Ophthalmic Suspension

Has been used for the treatment of steroid-responsive inflammatory conditions of the cornea & anterior segment of the globe.

Safe topical steroid when used on long-term basis for the treatment of SAC and PAC.

Better than olopatadine in the relief of ocular itching and bulbar conjunctival injection.¹

Effective in resolving anterior chamber cells and flare as well as in reducing post-operative pain and discomfort.²

effective in

- Bacterial conjunctivitis
- Inflammation associated with infection
- Blepharitis
- Post-operative prophylaxis


also available

Lotezen

Loteprednol 0.5% w/v | Ophthalmic Suspension

Combining the Aspects of Efficacy & Safety

for the
prophylaxis & relief of
**post-operative
ocular inflammation**



^{Rx} Myketol-D ^{Eye Drops}

Dexamethasone 0.05% w/v + Ketorolac Tromethamine 0.5% w/v

Dexamethasone

- A potent, long-term acting synthetic glucocorticoid have anti-inflammatory & immunosuppressant properties.
- Prevents inflammation after ocular surgery.

Ketorolac Tromethamine

- A non-steroidal anti-inflammatory drug.
- Treats pain & swelling after eye surgery.
- Used to decrease swelling or redness caused by allergies.
- Effacious in decreasing macular edema after cataract surgery.

effective in


- Cornea Ulcer
- Macular Edema
- Post-Operative Inflammation
- Conjunctivitis

also available

Myketol ^{Eye Drops}

Ketorolac Tromethamine 0.5% w/v

Effective First Line Treatment



Quick Recovery from Ocular Infections & Inflammation

^{Rx} **Myketol-O**
Ofloxacin 0.3% w/v + Ketorolac 0.5% w/v
Eye Drops

Ofloxacin : A Synthetic Fluoroquinolone
Acts by inhibiting bacterial DNA gyrase enzyme.

Excellent patient compliance.

Ketorolac : A Potent NSAID
Exhibits analgesic & anti-inflammatory activity.
Reduces itching in conjunctiva inflammation.

effective in

- | Allergic Conjunctivitis
- | Bacterial Keratitis
- | Blepharitis
- | Keratoconjunctivitis
- | Bacterial Corneal Ulcer
- | Post-Operative inflammation

also available
Myketol-G
Ketorolac Tromethamine 0.4% w/v +
Gatifloxacin 0.3% w/v **Eye Drops**

^{Rx} **Noirmox-Plus**
Moxifloxacin 0.5% w/v + Ketorolac 0.5% w/v
Eye / Ear Drops

Moxifloxacin : A Fluoroquinolone
Achieves effective concentration in aqueous humor.


Excellent patient compliance.

Ketorolac : A Potent NSAID
Exhibits analgesic & anti-inflammatory activity.
Achieves rapid relief from pain & inflammation

effective in

Bacterial Conjunctivitis | Blepharitis
Post-Operative Inflammation

Combats Ocular Infections... Effectively



Quick Recovery from Ocular Bacterial Infections & Inflammation

^{Rx}
Myketol-O
Ketorolac 0.5% w/v + Ofloxacin 0.3% w/v **Eye Drops**

Ketorolac : A Potent NSAID

Exhibits analgesic & anti-inflammatory activity.

Reduces itching in conjunctiva inflammation.

Ofloxacin : A Synthetic Fluoroquinolone

Acts by inhibiting bacterial DNA gyrase enzyme.

Excellent patient compliance.

effective in

- | Allergic Conjunctivitis
- | Bacterial Keratitis
- | Blepharitis
- | Keratoconjunctivitis
- | Bacterial Corneal Ulcer
- | Post-Operative inflammation

also available

Myketol-G

Ketorolac Tromethamine 0.4% w/v +
Gatifloxacin 0.3% w/v **Eye Drops**

Combats Ocular Infections... Effectively

Quick Recovery from Ocular Fungal Infections

^{Rx} Natacare

Natamycin 5% w/v **Eye Drops**



Natamycin is a tetraene polyene antibiotic derived from *Streptomyces natalensis*. It possesses in vitro activity against a variety of yeast & filamentous fungi, including *Candida*, *Aspergillus*, *Cephalosporium*, *Fusarium* & *Penicillium*.

MOA – Binding of the molecule to the sterol moiety of the fungal cell membrane. The polyenesterol complex alters the permeability of the membrane to produce depletion of essential cellular constituents.

Natamycin is predominantly fungicidal.

effective in

- ◊ Fungal blepharitis
- ◊ Conjunctivitis
- ◊ Keratitis caused by susceptible organisms including *Fusarium solani* keratitis.

An Effective **FUNGICIDAL** Against variety of Yeasts & Fungi

The Nayan needs Utmost Care

Rx NayanCare

Lycopene 6% + Multivitamins
Softgel Capsules



Helps in prevention & treatment of Age Related
Macular Degeneration (ARMD).

Protects against peroxidation of fatty acid in the
photo receptor membrane.

Improves eye functions like Contrast sensitivity,
Glare response, Acuity and Night Vision.

Protects the blood vessels that supply the macular region.

Supports normal eye health and vision.

Alleviates eye fatigue & reduces eye stress symptoms.

effective in

- Age Related Macular Degeneration (ARMD)
- Eye Stress • Glare Response • Night Vision

Maintains **Macular Health & Functionality**

To hydrate the **DRY EYES** and to retain the **HYDRATION**

^{Rx} **Nay asol** Eye Drops

Hydroxypropyl Methyl Cellulose (HPMC) 2% w/v & 0.3% w/v



Relieves eye dryness & soreness,
particularly when the dryness is caused
by a reduced flow of tears.

It moistens, soothes & lubricates the surface
of eye, making it feel more comfortable.

Increases the viscosity of tear film thereby
increasing the retention time.

Maintains proper visual function & reduces
risk for eye diseases.

effective in

- ▣ TV or Computer Vision Syndrome
- ▣ Itching & Stinging Sensation
- ▣ Severe Dry Eye Syndrome
- ▣ Post Lasik Treatment

NOURISHING therapy for DRY EYES



to combat OCULAR PAIN
Rx Nepawar
Nepafenac 0.1% w/v
Eye Drops

Reduces the risk of
post-operative Macular Edema¹.

Improvement in BCVA outcomes following Cataract
Surgery in patients with non-proliferative diabetic retinopathy.

Effective

Inflammation of Ant. & Post. Segment
Drug of choice for CME
Retinitis, Post-Surgical Pain
IOL Implantation, Phacoemulsification

1. Clin Ophthalmol. 2017; 11: 1021-1029.

to control POST-SURGICAL INFLAMMATION
Rx Tobwin-L
Tobramycin 0.3% w/v + Loteprednol 0.5% w/v
Eye Drops

Tobramycin

An aminoglycoside antibiotic with broad spectrum of activity.

Loteprednol

Corticosteroid that inhibits edema, fibrin deposition,
capillary dilation, fibroblast proliferation, deposition of collagen.

effective in

Blepharitis | Non-specific Conjunctivitis

also available
Tobwin-D Tobwin-F
Tobramycin 0.3% w/v + Dexamethasone 1% w/v
Eye Drops
Tobramycin 0.3% w/v + Fluometholone 0.1% w/v
Eye Drops
Tobwin
Tobramycin 0.3% w/v
Eye Drops

Ensure Relief with a **Small Drop**

The ideal
Non-Steroidal Anti-Inflammatory
before & after
Cataract & Glaucoma Surgery



Rx **Noirgat-F** Eye Drops
Gatifloxacin 0.3% w/v + Flurbiprofen 0.03% w/v

Gatifloxacin

Broad spectrum activity against gram +ve cocci & atypical mycobacterial species.

Exhibits high killing rate.

Flurbiprofen

An NSAID, helps reducing pain & inflammation.

Used to inhibit constriction of the pupil during eye surgery.

Helps treat or prevent eye inflammation.

effective in

Inhibition of Intra-operative miosis
Inflammation after Cataract or Glaucoma Laser Surgery

also available **Frocare**
Flurbiprofen 0.03% w/v Eye Drops

Time-Tested Therapy to control inflammation during surgery

To control the
Infections & Inflammation
effectively



^{Rx} Noirgat-P

Eye Drops

Gatifloxacin 0.3% w/v + Prednisolone 1% w/v

Gatifloxacin

- Broad spectrum activity against gram +ve cocci & atypical mycobacterial species.
- Exhibits high killing rate.
- Achieves higher concentration in ocular tissue than ciprofloxacin.
- Gatifloxacin demonstrated greater ocular tolerability in comparison to moxifloxacin.*

Prednisolone

- A class of medications called steroids.
- Reduces the irritation, redness, burning & swelling of eye inflammation.

Indications

Iritis, Uveitis

Post-operative states
especially after
IOL implantation
& phacoemulsification

*also
available*

Noirgat
Gatifloxacin 0.3% w/v Eye Drops

Dual Action **Double Relief**

* Current Med Res Opin. 2004 Nov;20(11):1753-8

Tough Infections
can be
Burdensome on eye...

^{Rx} Noirmox-D

Moxifloxacin 0.5% w/v + Dexamethasone 0.1% w/v
Eye Drops

Moxifloxacin

A broad-spectrum antibiotic active against both
Gram-Positive & Gram-Negative bacteria.

Treats ocular infections caused by susceptible micro-organisms.

Dexamethasone

A potent, long-term acting synthetic glucocorticoid have
anti-inflammatory & immunosuppressant properties.

Prevents inflammation after ocular surgery.

effective in

- Post-Operative Infections
- Conjunctivitis
- Keratitis
- Blepharitis
- Corneal Injury

Noirmox
Moxifloxacin 0.5% w/v Eye Drops

also available

Noirmox-B
Moxifloxacin 0.5% w/v + Betamethasone 0.1% w/v
Eye Drops



Relieves Eye from the Burden of Tough Infections

For effective control on

**Infections &
Associated Inflammation**

Rx Noirmox-L

Moxifloxacin 0.5% w/v + Loteprednol Etabonate 0.5% w/v
Eye Drops

Letoprednol Etabonate

- ♦ A soft steroid used for the treatment of steroid responsive inflammatory conditions of the eye.
- ♦ Has good ocular premeation properties.

Moxifloxacin

- ♦ Aquinolone/fluroquinolone antibiotic.
- ♦ Broad-spectrum antibiotic that is active against both Gram-positive and Gram-negative bacteria.

indications

- ✦ Bacterial conjunctivitis
- ✦ Blepharitis
- ✦ Post operative prophylaxis

Noirmox-DF

Moxifloxacin 0.5% w/v + Difluprednate 0.5% w/v **Eye Drops**

Noirmox-P


Moxifloxacin 0.5% w/v + Prednisolone 1% w/v **Eye Drops**

*also
available*

Combining the Dimensions of **Efficacy & Safety**

to combat **OCULAR BACTERIAL
and FUNGAL INFECTIONS**

with associated inflammation



A Drop of Relief *from Pain & Infections*

^{Rx} Nyagent

Eye/Ear Drops

Gentamicin Sulphate 0.3% w/v + Beclomethasone dipropionate 0.025% w/v + Clotrimazole 1% w/v + Lignocaine HCl 2% w/v in Oily Base

Gentamicin

An aminoglycoside antibiotic with bactericidal approach
Exhibits greater antibacterial activity than streptomycin, neomycin or kanamycin.

Clotrimazole

An effective anti-fungal.

Beclomethasone

Suppresses the inflammatory response &
hence ideal for steroid-responsive inflammatory ocular conditions.

Lignocaine

A local anesthetic agent and is used to treat eye irritation or pain.

effective in

ocular bacterial infections including


- Conjunctivitis
- Keratitis
- Keratoconjunctivitis
- Corneal Ulcers
- Blepharitis
- Blepharoconjunctivitis
- Acute Meibomianitis
- Dacryocystitis

caused by susceptible strains of the following microorganisms:

Staphylococcus aureus, Staphylococcus epidermidis, Streptococcus pyogenes, Streptococcus pneumoniae, Enterobacter aerogenes, Escherichia coli; Haemophilus influenzae, Klebsiella pneumoniae, Neisseria gonorrhoeae, Pseudomonas aeruginosa, and Serratia marcescens.

*when need to
postpone*

CATARACT
SURGERY....



^{Rx} **Nyarest**

Potassium Iodide 3.3% w/v + **Eye Drops**
Sodium Chloride 0.83% w/v + Calcium Chloride 1% w/v

Potassium Iodide + Sodium Chloride + Calcium Chloride

Used for prevention of lenticular opacity pre-operatively & for prevention of Posterior Capsular Opacity (PCO), post-operatively, in patients with cataract.

Especially used when the decision is to postpone the cataract surgery in patients with uncontrolled hypertension, diabetes mellitus, severe bleeding disorders & severe respiratory disorders.

Delays cataractogenesis maintains normal nutrition of lens assists visual improvement in early cataract & prevents posterior capsular opacification.

effective in

Posterior capsular opacity

Tear deficiency

Age related dryness

Drug induced dryness

Cataract

Support Visual Improvement

for
Faster Relief in
Allergic Conjunctivitis...



^{Rx} Nyazol Eye Drops

Naphazoline 0.1% w/v + Camphor 0.0025% w/v +
Borax 0.05% w/v + Boric Acid 1% w/v + HPMC 0.2% w/v +
Menthol 0.025% w/v

Naphazoline

- ❖ Causes decongestion by constricting blood vessels in the eye.
- ❖ Enlarges the pupil & reduces the fluid in the eye.
- ❖ Reduces congestion & swelling when applied to the mucous membranes.

HPMC

- ❖ Relieves eye dryness & soreness, particularly where the dryness is caused by a reduced flow of tears.

Boric Acid

- ❖ Decreases growth of bacteria in flora of eye.

Menthol & Camphor

- ❖ Provide cooling & soothing effect to eyes.

effective in

**Allergic Conditions
Congested Conjunctiva
Red Eye Syndrome**

**Tired & Strained Eyes
Spring Catarrh**

The Right Option to **See Better, Feel Better**

To combat
Ocular Allergic Manifestations
associated with

Pain & Inflammation



R_x

Olozen-K[®] Eye Drops

Olopatadine Hydrochloride 0.1% w/v + Ketorolac Tromethamine 0.4% w/v

Olopatadine

An anti-allergic that blocks the action of certain chemical messengers responsible for red, itchy & watery eyes.

The combination of 0.1% Olopatadine & 0.4% Ketorolac was more effective than 0.4% Ketorolac alone in seasonal allergic conjunctivitis patients.

Ketorolac Tromethamine

An NSAID that helps reducing pain & inflammation in the eye.

Indications

- Enhanced Ocular Itch
- Pre & Post-Operative Prophylaxis
- Seasonal Allergic Conjunctivitis
- Ocular Surface Allergy

also available

Olozen

Olopatadine Hydrochloride 0.1% w/v Eye Drops

Effective for Ocular Allergic Manifestations

to treat
**Infections
& Inflammation**
in Conjunctivitis



^{Rx} **Oxoism-D**

Ofloxacin 0.3% w/v + Dexamethasone 0.5% w/v

Eye Drops

Ofloxacin

A fourth generation 8-methoxy flouroquinolone anti-bacterial agent.
Broad spectrum activity against gram-positive & gram-negative oragnisms.
Protects & treats from various day to day infections.

Dexamethasone

A potent, long-term acting synthetic glucocorticoid have
anti-inflammatory & immunosuppressant properties.
Prevents inflammation after ocular surgery.

effective in

- Conjunctivitis
- Blepharitis
- Corneal Ulcers
- Infections following Trauma / Surgery

also available

Oxoism

Ofloxacin 0.3% w/v **Eye Drops**

Treats Ocular Infections & Associated Inflammation

In the treatment of
Ocular Bacterial Infections



^{Rx} Polixa-D

Polymyxin-B Sulphate 6000 IU +
Chloramphenicol 4mg + Dexamethasone 1mg

Eye Drops

Chloramphenicol and Polymyxin-B

Effective antibiotics that help treating bacterial infections.

Dexamethasone

A steroid that helps treating inflammation associated with bacterial infections of the eye.

effective in
treating eye inflammation caused by

- Uveitis
- Eye Injury
- Radiation
- Chemical Burns
- Certain Other Conditions

also available
Polixa-D
Eye Ointment

Treats Ocular Bacterial Infections & Associated Inflammation

To give eyes a
REFRESHING feel...



^{Rx} Polol

Polyvinyl Alcohol 1.4% w/v + Povidone 0.6% w/v
Eye Drops

Protects eyes against irritation and relieves
dryness of the eye.

Offers relief from discomfort due to minor irritations
of the eye, or to exposure to wind or sun.

Helps keep the eyes moist, helps protect the eyes from
injury & infection and decrease the symptoms of
dry eye syndrome such as burning and itching .

effective in : **Dry Eye Syndrome**

*also
available*

PGP

Polyethylene Glycol 0.4% w/v + **Eye Drops**
Propylene Glycol 0.3% w/v

Keeps **EYES MOIST & REFRESHED**

in

Glaucoma & Ocular Hypertension

an efficacious & safe therapy with

α -agonist & β -Blocker



Effective in

Open Angle Glaucoma

Ocular Hypertension

R_x

Timorest-B

Eye Drops

Timolol Maleate 5.0% w/v + Brimonidine 2.0% w/v

Timolol

Beta blocker that functions by reducing the amount of fluid formed in the eye.

Brimonidine

An alpha agonist; acts by allowing better fluid drainage within the eye and also by reducing the amount of fluid made in the eye.

Provided greater IOP-lowering efficacy than either 0.5% timolol twice daily or 0.2% brimonidine 3 times daily used as monotherapy. No safety concerns arose with fixed brimonidine-timolol therapy that had not been observed with the individual component drugs.*

*Arch. Ophthalmol. Vol 124, Sep 2006

also available **Timorest** **0.25**
Timolol Maleate 0.25% w/v / 0.5% w/v **0.5** Eye Drops
Timorest-D
Dorzolamide 2% w/v + Timolol Maleate 0.5% w/v Eye Drops

An Efficacious & Safe Therapy

For achieving
Best Pre & Post Surgical
MYDRIASIS



effective in
Mydriasis
Eye Examination
Short-Term Pupil Dilation

^{Rx} Trocare-P

Tropicamide 0.8% w/v + Phenylephrine 5% w/v **Eye Drops**

Tropicamide

- Has significant measurable influence on anterior chamber depth & lens thickness
- Produces satisfactory pupil dilation

Phenylephrine

- Does not significantly increase systemic blood pressure whilst causing dilation
- Has minimal effect on corneal alteration & corneal topography

Exerts a stronger mydriatic effect especially in hypertensive patients undergoing anti-hypertensive therapy.

Retraces normal vision within 4-6 hrs.

also available
Trocare **Eye Drops**
Tropicamide 0.5% w/v / 1% w/v

0.5%
1%

The Superior Partner before & after surgery

when too much of
EAR WAX
blocks the EAR CANAL



^{Rx} **Wywax**

Paradichlorobenzene 2.0% w/v +
Chlorbutol 5.0% w/v + Benzocaine 2.7% w/v +
Turpentine Oil 15% w/v **Ear Drops**

Paradichlorobenzene

Most superior ceruminolytic agent

Chlorbutol

Softens ear wax & helps to remove hardened wax

Benzocaine

A local anesthetic

Turpentine Oil

Strong solvent & helps remove wax

effective in

Maintenance of ear hygiene & cleanliness

Alternative to ear buds, papers & sticks

Excessive ear itching & pain

Routine cleaning of ear wax

Excessive ear wax

Removes Wax... Resolves Pain

in
Ocular Hypertension
or
Open Angle Glaucoma



1. *Clinical Ophthalmology* 10 April 2015 Volume 2015:9 Pages 633—643.
2. *Clin Ophthalmol.* 2012;6:525-531.
3. *International Journal of Research in Medical Sciences* Bakkewar SM et al. *Int J Res Med Sci.* 2018 Jul;6(7):2385-2389.

^{Rx}
Zetav
Travoprost 0.04% w/v Eye Drops

- Low rates of topical & systemic adverse reactions, strong ocular hypotensive efficacy & once-a-day dosing make travoprost a first-line treatment for patients affected with elevated IOP.¹
- Exerts its ocular hypotensive action mainly by increasing uveoscleral outflow, but some effects on trabecular meshwork may be present as well
- Provides sustained IOP reduction throughout the 24-hour dosing interval in subjects with ocular hypertension or open-angle glaucoma.²
- Superior to timolol in lowering IOP in patients with POAG (Primary Open Angle Glaucoma)³

Indication

- Reduction of elevated intraocular pressure in patients with open-angle glaucoma or ocular hypertension.

Reduces Glaucoma Progression... Effectively